

IBC Spill Pallet - 1 Tank



- Low profile, 711 mm overall height — allows safe and convenient IBC tank handling and dispensing.
- All polyethylene construction — offers excellent chemical resistance and will not rust or corrode.
- Forkliftable — allows convenient positioning to desired locations.
- Low-cost design with value-added features and benefits.
- Large 1320 x 1320 mm deck allows safe and convenient placement of IBC tanks.

Standard Drum Spill Pallett	
HA3441 - IBC Spill Pallet 1 Tank	Bucket Shelf
Dimensions: 1574 x 1574 x 711 mm	Dimensions: 495 x 406 x 368 mm
Weight: 146 kg	Weight : 4kg
Containment Capacity: 1362 litres	
Uniformly Distributed Load: 3855 kg	
Optional: With or without a drain	



IBC Spill Pallet - 2 Tanks Vertical

- 7257 kg weight capacity accommodates up to two full IBCs.
- 100% polyethylene construction has no metal parts - rust and corrosion are things of the past.
- 1514 litre sump capacity
- meets SPCC and EPA Container Storage Regulation, 40 CFR 264.175.
- Inner polyethylene supports feature a dense pattern of vertical ribs which provide superior strength. Rated at 7257 kg UDL capacity, the Ultra-IBC
- All Ultra-IBC SpillPallets offer slip-resistant grating to provide additional safety for material handling. SpillPallet will provide years of service under rigorous conditions.

IBC spill pallet premium 2-tanks stacked vertically
HA3442 - IBC Spill Pallet 2 tanks
Dimensions: 1492 x 1492 x 838 mm
Useable Grating Surface: 1320 x 1320 mm
Weight: 201 kg
Uniformly Distributed Load: 7257 kg
Containment Capacity: 1514 litres
Optional: With or without a drain and separate purchase of 1514 litre sump

Twin IBC Spill Pallets - 2 Tanks Stacked Side by Side:



- Use for intermediate bulk containers (IBCs), drums, or other large vessels. (All materials stored must be chemically compatible.)
- One-piece, molded sump holds 2025 litres — meets EPA Containment and SPCC Regulations for two IBC tanks.
- Available with optional Bucket Shelf for either or both sides — catches small leaks or spills during dispensing.
- Grates are easily removed for quick clean-up.

Twin IBC Spill Pallets - 2 Tanks Stacked Side by Side

HA3443 - Twin Pallets	Bucket Shelf
Dimensions: 3149 x 1565 x 558 mm	Dimensions: 495 x 406 x 368 mm
Weight: 205 kg	Weight: 4 kg
Gallon Capacity: 2025 litres	
Uniformly Distributed Load: 3628 kg	
Optional: With or without a drain	Optional: One or two bucket shelves available.

Modular IBC Spill Pallet - 4 Tanks:



- Indoor and Outdoor Models available for 2, 3, 4 or 5 tanks.
- Each IBC tank sits on a low-profile spillpallet with a containment capacity of 283 litres — Expansion Tanks provide 246 litres of additional capacity.
- 100% polyethylene construction — eliminates the potential for rust and corrosion.
- “Flow-through” bulkhead fittings connect spill pallets and Expansion Tanks together, allowing spills to be channeled throughout the containment system — containment capacity is thereby “borrowed” from adjacent spill pallets and Expansion Tanks.
- Meets SPCC and EPA Container Storage Regulation 40 CFR 264.175.
- Outdoor models help meet new Stormwater Management Regulations — NPDES, 40 CFR 122.26 (1999).

Tel. 1300 76 44 77
Fax. 1300 76 44 88
www.hazchem.net.au



Modular IBC Spill Pallet - 4 Tanks:

HA3446 - Modular IBC Spill Pallet

Dimensions: 7874 x 1574 x 222 mm

Weight: 240 kg

Litre Capacity: 1383 litres

Weight Capacity: 4082 kg UDL per Pallet

Optional: With or without a drain